

Subject Index

A

Abdominal constriction 281
 Acetylcholin 107
 Acetylcholine content 59
 Acetylcholine turnover rate 59
 ACTH 161
 Acute recovery 287
 Affective sensitivity 203
 Aggression 131
 Alcohol 251, 287
 Alpha-methylparatyrosine 63
 Alpha-noradrenergic agonist 233
 Amino acids 81
 Amitriptyline 217
 Amphetamine 81, 91, 239, 267
 Amphetamine tolerance 317
 Antidepressants 143
 Antipsychotic 261
 Anxiety 217
 Apomorphine 43
 Arousal 299
 Arterial blood pressure 197
 Audiogenic seizure 251
 Autonomic blockade 171
 Autonomic nervous system 191
 Avoidance
 — passive 25

B

Barbiturates 299
 Baseline shock rate 91
 Behaviour 131, 167, 287
 Behavioral inhibition 85
 Benzotropine 261
 Beta-adrenergic 273
 Biogenic amines 81, 143
 Biting attack 149
 Blood platelets 245
 Body temperature 31, 49
 Body turning 1–7
 Brain acetylcholinesterase 49
 Brain stimulation 39, 263
 Brain 3-methoxy-4-hydroxyphenylglycol
 11

C

Caffeine 29
 Cannabidiol 281
 Cannabinol 281
 Catecholamines 43, 107, 273
 Cats 149
 Central nervous system actions 59
 Chlordiazepoxide 217
 Cholinergic enzymes 251
 Cholinomimetics and anticholinesterase
 149
 Clomipramine 245
 Clonidine 11, 233
 Compensatory conditioning 177
 Conditioning 31
 Corpus Striatum 13

CSF cyclic AMP 137
 CSF homovanillic acid 137

D

Delta-aminolaevulinic acid 131
d-Amphetamine 63
 Delta-9-tetrahydrocannabinol 203, 281
 Depression 97
 — bipolar 11
 Depressive illness 217
 Dextroamphetamine 317
 Diazepam 25, 85
 Discrimination 105
 Discriminative stimulus 231
 Dopamine 39, 63
 Dopaminergic 273
 Dopamine receptor 137
 Dopamine sensitive adenylate cyclase 13
 Dopamine turnover 1–7
 DPF 49
 DPI 39
 Drug-induced stimulus control 105
 Drug interactions 281
 Drug discrimination 239
 Dystonia 261

E

Electroconvulsive shock 167
 Electroconvulsive therapy 167
 Emotions 203
 Emotional reactivity 191
 Environmental 267
 Escape performance 107
 ET-495 39
 Ethanol 1–7, 105
 Ethanol tolerance 125
 Exploration 227
 Exploratory behaviour 263
 External stimuli 105
 Extinction 71
 Extrapyramidal 261

F

Feeding behaviour 273
 Food motivated behavior 143

G

GABA 85
 Gonadal steroids 13

H

Halazepam 25
 Haloperidol 17, 155, 207
 Head twitches 255
 Heart rate 191
 Helplessness 107
 Hippocampus 251
 Hissing and snarling 149
 6-Hydroxydopamine and reserpine 149
 5-Hydroxytryptamine 97, 167
 5-Hydroxytryptophan 63

Hyperphagia 233
 Hypophysectomy 13
 Hyperthermia 267
 Hypothermia 77, 125
 Hypnotics 309
 Hypodipsia 233
 Hypothalamus 273

I

Immobility 131
 Inescapable shock 107
 Inhibition kinetics 245
 Intermediary metabolism 155
 Interpersonal interactions 203
 Intracranial reward 39
 Intraventricular injections 149
 Isoenzymes 49

K

Ketamine 59
 Ketamine sleeping time 59
 Key-pecking 91

L

L-Amphetamine 63
L-Dopa 197, 273
 Limbic System 143
 Limbitrol 217
 Lithium 155, 255, 263
 Lorazepam 25
L-Tryptophan 97, 125

M

Marijuana 203
 Mecamylamine 59
 Memory 29, 71
 Men 17, 137, 161, 171, 197, 203, 217,
 245, 261, 287, 309
 Mice 25, 29, 43, 107, 131, 255, 263, 293
 Monkeys 103, 233, 281
 Monoamphetamine metabolism 235
 Mood 309
 Morphine, 31, 207, 231, 239
 Motor impairment 125
 Muscimol 85
 Muscle weakness 317

N

Naloxone 239
 Narcotic antagonists 239
 Nefopam 231
 Neuroleptics 43
 Nondiscriminated avoidance 91
 Nonreward 85
 Non social activity 131
 Nucleus accumbens 13
 Nucleus caudatus 251

O

Open field 191, 227
 Opponent process 177

Organon 161
Ovariectomy 13

P

Parkinsons disease 197
Passive avoidance learning 43
Passive avoidance test 29
Perception 203
Performance 309
Phenoxybenzamine 43
Physostigmine 59
Pigeons 91
Pilocarpine 49
Piracetam, 71, 235
Piribedil 39
Pituitary-adrenal 177
Plasmatic renin activity 197
Polypeptide 161
Poor sleepers 309
Prolactin 17, 63, 235
Propanolol 191
Prophylaxis 261
Punishment 85

Q

Quasi-morphine-withdrawal syndrome
207

R

Rats 1, 11, 13, 31, 39, 49, 59, 63, 71, 77,
81, 85, 105, 125, 143, 155, 167, 177,
191, 207, 227, 231, 235, 239, 251,
267, 273, 299, 317
Rat brain 155
Rate dependence 91
Rate of Responding 103
Reserpine 63
Retrieval 71
Rubidium 227, 263
Runway 143
Rotarod performance 317
Ruts 299
Rauwolfia alkaloids 255

S

Scopolamine 59
Senile organic brain syndrome 161
Septal lesion-induced hyper-reactivity
293
Serotonergic neurons 255
Serotonin 29, 125
Serotonin uptake 245
Serum cholinesterase 49
Sex differences 49, 77
Social investigation 131

Social isolation 299
State-dependent learning 25
Stereotyped behavior 81
Stereotypy 299
Striatum 1-7
Supersensitivity 1-7, 63

T

Taste aversion learning 177
Temperature 267
Tetrahydrocannabinol 207
THC intoxication 171
Thiobarbiturate 103
Thyrotropin releasing hormone 103
Tolerance 63, 287
Treatment preexposure 177
Tricyclic antidepressants 245
Tryptophan 77

W

Water intake 49
Weight gain 233
Withdrawal 251
Withdrawal syndrome 11
Writhing 281

Advice to Authors

The illustrations that will appear in your contribution will be shown to best advantage if you follow the brief set of instructions below. Please read carefully. Thank you.

The Publisher

Preparation of Line Drawings

Illustration copy should be prepared to fit the format of the column or printed page (print area) so that 1:1 reproduction is possible. In case reduction is absolutely necessary, please state the alternative scale desired.

The publisher reserves the right to reduce or enlarge illustrations.


Drawings are to be twice the final size and executed in indelible black ink.

Important points to note: thickness of lines, size of inscriptions, size of measuring points, adequate spacing of shaded and dotted areas.


Words should be in upper- and lower-case characters, not capitals.

The following are optimal sizes as they finally appear in the journal:


Capital letters and numbers: 2 mm
Lower-case letters: 1.6 mm.




①



samples 1 to 5 show
the original size and
after 50% reduction



③



④

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 1.5° III IV VIII IX ∞ % ≈
[(= - + x ÷ ! ? : " ' ,)] (A) (B) (a) (b)

⑤

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 1.5° III IV VIII IX ∞ % ≈
[(= - + x ÷ ! ? : " ' ,)] (A) (B) (a) (b)

Selection of Illustration Material for Halftones (photographs, micrographs, X-rays, instrument traces etc.).






Photographs should be sharp, well-contrasted glossy prints of the original negative, trimmed at right angles. Halftone illustrations should be prepared to fit the format of the printed page (print area) so that 1:1 reproduction is possible. In case reduction is absolutely necessary, please state the alternative scale desired. The publisher reserves the right to reduce or enlarge illustrations.

Mark or crop marginal portions which are not required (at right angles, please).

Please see that illustrations which are to appear together are mounted accordingly as plates and that they correspond in size. Also they should not exceed the print area of the page, including room for the legend.

With X-rays, please indicate the significant parts on the back of the copy, or on an overlay.

Inscriptions, marks and scale lines should preferably be drawn neatly in black ink in an appropriate size on the face of the illustrations. Inscriptions should be about 3 mm high. Where Letraset is used, please handle it carefully and protect the photographs with an overlay.



Handbuch der experimentellen Pharmakologie

Handbook of Experimental Pharmacology

Heffter-Heubner/New Series

Herausgeber: G.V.R. Born, O. Eichler, A. Farah,
H. Herken, A.D. Welch

BAND 45

TEIL I UND II

Drug Addiction

Editor: W.R. Martin

This two-volume work addresses the problem of drug addiction from several points of view which are quite unique and different from other areas of pharmacology. In two individual parts all major scientific, medical and social issues are treated that bear on problems of drug abuse. The abuse of narcotic analgesics, weak analgesics, amphetamines, barbiturates, alcohol, LSD-like hallucinogens and marijuana is discussed. Attempts are made to identify the major social issues that have given rise to concern about drug abuse. Further, attention has been given to the chemotherapy and psychotherapy of narcotic addiction. The basic modes of actions of drugs of abuse are reviewed. Methods for identifying drugs with abuse potential are also described and there are discussions of the principles underlying these methods and their validity. There are discussions of the pathophysiology and psychopathology of addictive processes. Finally, the literature concerning the modes and sites of actions of narcotic analgesics, weak analgesics, barbiturates, alcohol, amphetamines and LSD-like hallucinogens is reviewed in detail in man and in animals with the end of understanding why these drugs are abused, what pathologic changes their abuse causes, and how a rational attack on treating these diseases can be formulated.

Drug Addiction I

Morphine, Sedative-Hypnotic and Alcohol Dependence

With contributions by H.T. Conrad, H.F. Fraser,
C.W. Gorodetzky, D.R. Jasinski, P. Kielholz, L. Ladewig,
W.R. Martin, N.K. Mello, J.H. Mendelson, J.W. Sloan,
C.M. Smith

1977. 24 figures. XXIII, 748 pages

Cloth DM 225,-; US \$ 112.50

ISBN 3-540-08170-4

Contents: Problems of Drug Dependence.—General Problems of Drug Abuse and Drug Dependence.—Morphine Dependence.—Neuropharmacology and Neurochemistry of Subjective Effects, Analgesia, Tolerance and Dependence Produced by Narcotic Analgesics.—Assessment of the Abuse Potential of Narcotic Analgesics in Animals.—Assessment of the Abuse Potentiality of Morphine Like Drugs (Methods Used in Man).—Psychiatric Treatment of Narcotic Addiction.—Chemotherapy of Narcotic Addiction.—Detection of Drugs of Abuse in Biological Fluids.—Sedative-Hypnotics and Alcohol Dependence.—The Pharmacology of Sedative-Hypnotics, Alcohol, and Anesthetics: Sites and Mechanisms of Action.—The Assessment of the Abuse Potentiality of Sedative-Hypnotics. (Depressants) (Methods Used in Animals and Man).—Clinical Aspects of Alcohol Dependence.—Abuse of Non-Narcotic Analgesics.

Drug Addiction II

Amphetamine, Psychotogen and Marijuana Dependence

With contributions by E. Ånggård, W.L. Dewey, J.D. Griffith, L.-M. Gunne, L.S. Harris, T. Lewander, W.R. Martin, R.K. Razdan, J.W. Sloan

1977. 15 figures, 24 tables. XV, 501 pages

Cloth DM 190,-; US \$ 95.00

ISBN 3-540-08334-0

Contents: Amphetamine and Psychotogen Dependence.—General Pharmacology of Amphetamine-Like Drugs.—Pharmacokinetics and Metabolism.—Effects of Amphetamine in Animals.—Effects of Amphetamine in Humans.—Amphetamine Dependence; Clinical Features.—Pharmacology and Classification of LSD-like Hallucinogens.—Marijuana Dependence.—Cannabis. Its Chemistry, Pharmacology, and Toxicology.—Author index.—Subject index.

Prices are subject to change without notice

Springer-Verlag
Berlin
Heidelberg
New York



1232/4/1/a

A 1

Karl R. Popper
Penn, Great Britain

John C. Eccles
Contra, Switzerland

The Self and Its Brain

66 figures. XVI, 597 pages. 1977

Cloth DM 39,—; US \$ 19.50; £ 9.40

ISBN 3-540-08307-3

Available from your bookseller

Contents:

Materialism Transcends Itself. The Worlds 1,2 und 3.
Materialism Criticized . Some Remarks on the Self.
Historical Comments on the Mind-Body Problem. Summary.—
The Cerebral Cortex. Conscious Perception. Voluntary
Movement. The Language Centres of the Human Brain.
Global Lesions of the Human Cerebrum. Circumscribed
Cerebral Lesions.—The Self-Conscious Mind and the Brain.
Conscious Memory: The Cerebral Processes Concerned in
Storage and Retrieval.—Dialogues.

In Part I, Popper discusses the philosophical issue between dualist or even pluralist interactionism on the one side, and materialism and parallelism on the other. There is also a historical review of these issues.

In Part II, Eccles examines the mind from the neurological standpoint: the structure of the brain and its functional performance under normal as well as abnormal circumstances, for example when lesions (especially those surgically induced) are present. The result is a radical and intriguing hypothesis on the interaction between mental events and detailed neurological occurrences in the cerebral cortex.

Part III, based on twelve recorded conversations, reflects the exciting exchange between the authors as they attempt to come to terms with their conflicting opinions. This part preserves the intimate quality of these dialogues, and shows how some of the authors' viewpoints changed in the course of these daily discussions.

Prices are subject to change without notice



**Springer
International**

